

**QC ANTI DIARRHEAL VANILLA REGULAR FLAVOR- bismuth  
subsalsicylate suspension  
QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION)**

-----  
**Quality Choice Diarrhea Relief Bismuth Subsalsicylate Vanilla Regular Flavor  
Drug Facts**

**Active ingredient (per 15 ml)**

Bismuth subsalsicylate 262 mg

**Purposes**

Antidiarrheal/Upset stomach reliever

**Uses**

Relieves

- traveler's diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink
- heartburn
- indigestion
- nausea
- gas

**Warnings**

**Reye's syndrome:**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

## **Ask a doctor before use if you have**

- fever
- mucus in the stool

## **Ask a doctor or pharmacist before use if you are** taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur

## **Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

## **Directions**

- **shake well immediately before each use**
- adults and children 12 years of age and older : 30 ml or 2 tablespoonful
- for accurate dosing, use convenient pre-measured dose cup
- repeat dose every 1/2 hour to 1 hour as needed
- do not exceed 8 doses in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

## **Other information**

- **each 15mL tablespoon contains:** sodium 10 mg
- **each 15mL tablespoon contains:** salicylate 130 mg
- **do not use if printed inner seal is broken or missing**
- store at room temperature

## **Inactive ingredients**

caramel, carboxymethylcellulose sodium, microcrystalline cellulose, natural and artificial flavor, potassium sorbate, salicylic acid , simethicone emulsion, sucralose, sucrose, water, xanthan gum

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL - 355 mL Bottle Label

NDC 63868-339-12

Compare to the active ingredient in Kaopectate®

Diarrhea Relief

Bismuth Subsalicylate, 262 mg

Bismuth Subsalicylate, 262 mg

Antidiarrheal

Upset Stomach Reliever

Effective Diarrhea Relief

Restores Natural Balance

**Vanilla Regular Flavor**

12 FL OZ (355 mL)

100% SATISFACTION GUARANTEED

Distributed by: C.D.M.A., Inc.



43157 W. Nine Mile

Novi, MI 48376-0995

www.qualitychoice.com

Question: 248-449-9300

\*This product is not manufactured or distributed by Chattem Inc., the distributor of Kaopectate®.



# QC ANTI DIARRHEAL VANILLA REGULAR FLAVOR

bismuth subsalicylate suspension

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-339
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bismuth subsalicylate</b> (UNII: 62TEY51RR1) (Salicylic acid - UNII:O414PZ4LPZ, Bismuth cation - UNII:ZS9CD1I8YE)	Bismuth subsalicylate	262 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CAMEL</b> (UNII: T9D99G2B1R)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>salicylic acid</b> (UNII: O414PZ4LPZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	VANILLA (Regular)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-339-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/16/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M008

04/16/2019

**Labeler** - QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION) (011920774)

Revised: 11/2023

QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION)