

**MEDIQUE DIAMODE- loperamide hydrochloride tablet**  
**Unifirst First Aid Corporation**

-----  
**MEDIQUE Diamode**

***Drug Facts***

***Active ingredient (in each caplet)***

Loperamide HCl USP, 2mg

***Purpose***

Anti-diarrheal

***Uses***

Controls symptoms of diarrhea, including Travelers' Diarrhea.

***Warnings***

**Allergy alert:**

Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl.

**Heart alert:**

Taking more than directed can cause serious heart problems or death.

**Do not use**

- if you have bloody or black stool

**Ask a doctor before use if you have**

- a fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug. Loperamide may interact with certain prescription drugs.

**When using this product**

- tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast feeding**, ask a health professional before use.

**Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**

**Adults and children (12 years and over):** Take 2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours.

**Children under 12 years:** ask a doctor

## Other information

- store between 68° - 77°F (20° - 25°C)
- **tamper-evident sealed packets**
- **do not use any opened or torn packet**
- see back of packet for lot number and expiration date

## Inactive ingredients

anhydrous lactose, croscarmellose sodium, crospovidone, D&C Yellow # 10 aluminum lake, FD&C Blue # 1 aluminum lake, hydrogenated vegetable oil, magnesium stearate, powdered cellulose, pregelatinized starch

## Questions or comments?

1-800-634-7680

## Medique Diamode Label

Medique®

Diamode

Controls the Symptoms of Diarrhea

Pull to Open

This Package is for Households without Young Children.

Antidiarrheal • Loperamide HCl 2 mg

24 Caplets

(24 x 1)

Tamper Evident Unit Dose Packets

The image displays the front and back of the Medique Diamode product packaging. The front panel features the Medique logo at the top, followed by the product name 'Diamode' in a large, stylized font. Below the name, it states 'Controls the Symptoms of Diarrhea' and 'Pull to Open'. A prominent warning reads 'THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.' The active ingredient is listed as 'Anti-diarrheal • Loperamide HCl 2 mg'. A red banner at the bottom indicates '24 Caplets (24 x 1)' and 'Retain carton for complete product information'. The back panel contains detailed 'Drug Facts' including: 'Active ingredient (in each caplet): Loperamide HCl USP, 2 mg'; 'Uses: Controls the symptoms of diarrhea, including Traveler's Diarrhea'; 'Warnings: Allergy alert: Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl. Heart alert: Taking more than directed can cause serious heart problems or death. Do not use if you have bloody or black stool. Ask a doctor before use if you have fever, mucus in stool, a history of liver disease, or a history of abnormal heart rhythm. Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs. When using this product: dizziness, drowsiness or dizziness may occur. Be careful when driving or operating machinery. Stop use and ask a doctor if symptoms get worse, diarrhea lasts more than 2 days, or you get abdominal swelling or bulging. These may be signs of a serious condition.' It also includes 'Directions', 'Other information' (storage, tamper-evident packets, do not use if opened or torn), 'Inactive ingredients', and 'Questions or comments? 1-800-634-7680'. A barcode and manufacturer information are located at the bottom right of the back panel.

# MEDIQUE DIAMODE

loperamide hydrochloride tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-200
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LOPERAMIDE HYDROCHLORIDE</b> (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE</b> (UNII: 68401960MK)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>HYDROGENATED COTTONSEED OIL</b> (UNII: Z82Y2C65EA)	

## Product Characteristics

<b>Color</b>	green (Green)	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL (Caplet)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	123
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-200-69	6 in 1 BOX	12/30/2008	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-200-50	50 in 1 BOX	12/30/2008	05/01/2023
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-200-33	100 in 1 BOX	12/30/2008	05/01/2023
3		1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-200-	1 in 1 PACKET; Type 0: Not a Combination	12/30/2008	

4	46	Product	12/30/2008	
5	NDC:47682-200-64	24 in 1 BOX	08/14/2020	
5		1 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074091	12/30/2008	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation