ATHLETES FOOT- butenafine hydrochloride cream Rite Aid Corporation

Athlete's Foot Cream

Drug Facts

Active ingredient

Butenafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and older:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

Apply between and around the toes



1 week twice a day or 4 weeks once a day

- **for jock itch and ringworm:** apply once a day to affected skin for 2 weeks or as directed by a doctor.
- wash hands after each use

• children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or not visible
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

Questions?

Call 1-866-923-4914

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE CAMP HILL, PA 17011

PRINCIPAL DISPLAY PANEL - 12 g Tube Carton

 $\begin{array}{c} RITE \\ AID_{\circledast} \\ PHARMACY \end{array}$

clinically proven to cure most athlete's foot between the toes

foot care butenafine

hydrochloride cream 1%

antifungal

NET WT 0.42 OZ (12 g)



B75.2 ENG19.53 T174

NO VARNISH/ NO AQ NO COPY / NO COLOR THIS FLAP FOR LOT # AND EXP DATE PRINT

RITE

clinically proven to cure most athlete's foot between the toes

foot care butenafine

hydrochloride cream 1%

antifungal

NET WT 0.42 0Z (12 g)



NO VARNISH ON THIS FLAP

PK-8464-0



* All trademarks are property of their respective owners.

This product is not affiliated with the makers/owners of Lotrimin Ultra®.

RITE AID, 30 HUNTER LANE CAMP HILL, PA 17011 MADE IN CANADA



DISTRIBUTED BY:

Questions? Cal 1-866-923-4914

acid, trdamine, white petrdatum dicaprylate, purified water, so dum benzoate, stearic bolyoxye frylene (23) cetyl efner, propylene glycol alcohol, glycerin, glyceryl monostearate SE, Inactive in gredients benzyl alcohol, cetyl

e donot use if sealon tube is broken or not visible done between 20° to 25° C (68° to 77° F)

- children under 12 years: ask a doctor
 - · wash hands after each use or as directed by a doctor. affecte diskin for 2 weeks apply once a day to :шомбии

- for jock itch and Applybetween and a ound the toes Change shoes and socks at least once daily. doctor. Wear well-fitting, ventilated shoes, once a day for 4 weeks, or as directed by a twice a day for 1 week (morning and night), or affected skin between and around the toes
- · tor athlete's foot between the toes: applyto suq quàc ourbjetely before applying wash the affected skin with soap and water

egni eui næ pre tp of the cap to break the seal and open

Keep out of reach of children. If swallowed, get medical help or confacta. Polson Control Center

adults and children 12 years and older:

occrus or initation gets worse

Stop use and ask a doctor if too much irritation If eye contact oc curs, tinse thoroughly with water. When using this product do not get into the eyes.

· tor vaginal yeast infections

- In or near the mouth or the eyes
 - · on nails or scalp

Directions

Do not use

For external use only Marnings

which accompany these conditions

- elle ves itching, burning, cracking, and scaling cures most jock itch and ringworm .mwornin
- Effectiveness on the bottomor sides of footis cures most athlete's foot between the toes.


leganina. Bute nafine hydrochloride 1%. Active ingredient Purpose

Other information



Directions (confinued)

NO VARNISH ON THIS FLAP



ATHLETES FOOT

butenafine hydrochloride cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-2100

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthButenafine Hydrochloride (UNII: R8 XA2029ZI) (Butenafine - UNII:91Y494NL0 X)Butenafine Hydrochloride10 mg in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
benzyl alcohol (UNII: LKG8494WBH)			
cetyl alcohol (UNII: 936JST6JCN)			
glycerin (UNII: PDC6A3C0OX)			
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)			
CETETH-23 (UNII: 495CTZ441V)			
propylene glycol dicaprylate (UNII: 581437HWX2)			
WATER (UNII: 059QF0KO0R)			
sodium benzoate (UNII: OJ245FE5EU)			
stearic acid (UNII: 4ELV7Z65AP)			
trolamine (UNII: 9O3K93S3TK)			

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:11822-2100-8	1 in 1 CARTON	11/17/2017			
1		12 g in 1 TUBE; Type 0: Not a Combination Product				
2	NDC:11822-2100-2	1 in 1 CARTON	11/17/2017			

2	0 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Info	rmation		
		Marilanting Start Data	Maulasting End Dass
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA205181	11/17/20 17	

Labeler - Rite Aid Corporation (014578892)

Revised: 11/2017 Rite Aid Corporation