

AMAZON BASIC CARE LOPERAMIDE HYDROCHLORIDE - loperamide hydrochloride tablet
Amazon.com Services LLC

Loperamide Hydrochloride Tablets USP 2 mg

Drug Facts

Active ingredient (in each tablet)

Loperamide hydrochloride USP 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide hydrochloride

Heart alert: Taking more than directed can cause serious heart problems or death

Do not use

if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 tablets after the first loose stool; 1 tablet after each subsequent loose stool; but no more than 4 tablets in 24 hours
children 9 to 11 years (60 to 95 lbs)	1 tablet after the first loose stool; 1/2 tablet after each subsequent loose stool; but no more than 3 tablets in 24 hours
children 6 to 8 years (48 to 59 lbs)	1 tablet after the first loose stool; 1/2 tablet after each subsequent loose stool; but no more than 2 tablets in 24 hours
children 2 to 5 years (34 to 47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

Other information

- store at 20° to 25°C (68° to 77°F).
- **do not use if carton or blister unit is open or torn**
- Meets USP dissolution test 2
- see side panel for lot number and expiration date

Inactive ingredients

colloidal silicon dioxide, D & C yellow No. 10 aluminum lake, FD & C blue No. 1, lactose

monohydrate, magnesium stearate, microcrystalline cellulose, and sodium starch glycolate

Questions or comments?

call **1-855-274-4122**

DISTRIBUTED BY:

AMAZON.COM SERVICES LLC
410 TERRY AVENUE N.
SEATTLE, WA 98109

Made in India

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 2 mg Blister Carton (4 x 6's Tablets)

amazon

basic+care

Anti-Diarrheal

NDC 72288-225-76


**Compare to
Imodium® A-D
active ingredient***

**Loperamide
Hydrochloride
Tablets USP 2 mg**

Anti-Diarrheal

Controls the symptoms of diarrhea
actual size

24 TABLETS



Drug Facts (continued)

Do not use if you have bloody or black stool

Ask a doctor before use if you have ■ fever ■ mucus in the stool ■ a history of liver disease ■ a history of abnormal heart rhythm

Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if ■ symptoms get worse ■ diarrhea lasts for more than 2 days ■ you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

■ find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 tablets after the first loose stool; 1 tablet after each subsequent loose stool; but no more than 4 tablets in 24 hours
children 9 to 11	1 tablet after the first loose stool; 1/2 tablet after each

Drug Facts (continued)

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide hydrochloride

Heart alert: taking more than directed can cause serious heart problems or death

Use

Loperamide hydrochloride USP 2 mg.....Anti-diarrheal

controls symptoms of diarrhea, including Travelers' Diarrhea

Active ingredient (in each tablet) Purpose



Anti-Diarrheal

NDC 72288-225-76

Compare to **Imodium® A-D** active ingredient*

Loperamide Hydrochloride Tablets USP 2 mg

Anti-Diarrheal

Controls the symptoms of diarrhea



actual size

24 TABLETS

Drug Facts (continued)

Inactive ingredients

colloidal silicon dioxide, D & C yellow No. 10 aluminum lake, FD & C blue No. 1, lactose monohydrate, magnesium stearate, microcrystalline cellulose, and sodium starch glycolate

Questions or comments? call 1-855-274-4122

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Imodium® A-D.

DISTRIBUTED BY:
AMAZON.COM SERVICES LLC
410 TERRY AVENUE N.
SEATTLE, WA 98109
© 2024 AMAZON.COM, INC. OR ITS AFFILIATES. ALL RIGHTS RESERVED.

L M - 5 6 5 0 P 105.4595

Made in India

Gluten Free

Unvarnished Zone
(dotted line not for printing)
57 x 15 mm

AMAZON BASIC CARE LOPERAMIDE HYDROCHLORIDE

loperamide hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-225
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	GREEN (Light Green)	Score	2 pieces
Shape	CAPSULE (Biconvex)	Size	10mm
Flavor		Imprint Code	L;28
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-225-76	4 in 1 CARTON	05/15/2024	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206548	05/15/2024	

Labeler - Amazon.com Services LLC (128990418)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(72288-225) , MANUFACTURE(72288-225)

Revised: 5/2024

Amazon.com Services LLC