

**KROGER DIGESTIVE RELIEF- bismuth subsalicylate tablet, film coated**  
**KROGER COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Kroger Stomach Relief Bismuth Subsalsicylate 262 mg**

***Drug Facts***

***Active ingredient (in each caplet)***

Bismuth subsalsicylate 262 mg

***Purpose***

Upset stomach reliever and anti-diarrheal

***Uses***

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including: ■ heartburn ■ indigestion ■ nausea ■ gas ■ belching ■ fullness

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products.

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

### **When using this product**

a temporary but harmless darkening of the stool and/or tongue may occur.

### **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding**, ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

### ***Directions***

- swallow with water, do not chew
- **adults and children 12 years and older:** 2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

### ***Other Information***

- **each caplet contains:** calcium 27 mg, sodium 3 mg
- salicylate 99 mg
- low sodium
- sugar free
- store at room temperature.

### ***Questions or comments?***

**1-800-632-6900**

### **Inactive Ingredients**

calcium carbonate, crospovidone, D&C Red No. 27, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

**NDC# 30142-524-24**

COMPARE TO the active ingredient PEPTO-BISMOL®

\*See top panel

Kroger®

**Stomach Relief**

Bismuth Subsalicylate 262 mg

Upset stomach Reliever/ Antidiarrheal

**5 SYMPTOMS RELIEF**

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

**24 CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS  
BROKEN OR MISSING.**

**IMPORTANT: KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING**

**DISTRIBUTED BY:**

**THE KROGER CO.**

**CINCINNATI, OHIO 45202**

**QUALITY GUARANTEE**

**800-632-6900**

**[www.kroger.com](http://www.kroger.com)**

\*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of Pepto-Bismol®.

**Drug Facts (continued)**

**Directions** ■ swallow with water, do not chew ■ **adults and children 12 years and older:** 2 caplets every ½ to 1 hour as needed ■ do not exceed 8 doses (16 caplets) in 24 hours ■ use until diarrhea stops but not more than 2 days ■ **children under 12 years:** ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information** each caplet contains: calcium 27 mg, sodium 3 mg ■ salicylate 99 mg ■ low sodium ■ sugar free ■ store at room temperature

**Inactive ingredients** calcium carbonate, crospovidone, D&C Red No. 27 Lake, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

**Questions or comments?** 1-800-632-6900

\*Pepto-Bismol® is a registered trademark of The Proctor & Gamble Company, Cincinnati, OH 45202. The Proctor & Gamble Company is not affiliated with The Kroger Co. or this product.

COMPARE TO the active ingredient of PEPTO-BISMOL® \*See top panel

NDC 30142-524-24



# Stomach Relief

Bismuth Subsalicylate 262 mg  
Upset Stomach Reliever/  
Antidiarrheal



actual size

**5 SYMPTOM RELIEF:**

Heartburn,  
Indigestion, Nausea,  
Upset Stomach, Diarrhea

**24 CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.**

**IMPORTANT: KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING.**

**Drug Facts**

**Active ingredient (in each caplet)**

Bismuth subsalicylate 262 mg.....Upset stomach reliever and anti-diarrheal

**Purposes**

**Uses** relieves ■ travelers' diarrhea ■ diarrhea ■ upset stomach due to overindulgence in food and drink, including: ■ heartburn ■ indigestion ■ nausea ■ gas ■ belching ■ fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Drug Facts (continued)**

**Allergy alert: Contains salicylate. Do not take if you are**

■ allergic to salicylates (including aspirin) ■ taking other salicylate products

**Do not use if you have** ■ an ulcer ■ a bleeding problem ■ bloody or black stool

**Ask a doctor before use if you have** ■ fever ■ mucus in the stool

**Ask a doctor or pharmacist before use if you are** taking any drug for

■ anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur

**Stop use and ask a doctor if** ■ symptoms get worse or last more than 2 days ■ ringing in the ears occurs or loss of hearing occurs ■ diarrhea lasts more than 2 days

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

LOT: 0 41260 01004 0  
 EXP: 12524R0FC  
 NON WARNISH AREA  
 DO NOT PRINT THIS

DISTRIBUTED BY  
THE KROGER CO.  
CINCINNATI, OHIO 45202  
QUALITY GUARANTEE  
800-632-6900  
www.kroger.com



## KROGER DIGESTIVE RELIEF

bismuth subsalicylate tablet, film coated

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:30142-524

Route of Administration

ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CROSPROVIDONE (120 .MU.M)</b> (UNII: 68401960MK)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	

**Product Characteristics**

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL (Caplet)	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	RP125
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-524-24	1 in 1 CARTON	03/31/2020	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part335	03/31/2020	

**Labeler** - KROGER COMPANY (006999528)