

**MECLIZINE HCL 25 MG- meclizine hcl tablet**  
**Reliable 1 Laboratories LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Meclizine HCL 25 mg**

***Drug Facts***

***Active ingredient (in each tablet)***

Meclizine HCL 25 mg

***Purpose***

Antiemetic

***Uses***

- prevents and treats nausea, vomiting or dizziness due to motion sickness
- for others uses, consult your doctor

***Warnings***

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water

**adults & children 12 years and over:** 1-2 tablets once daily

**children under 12 years:** ask a doctor

**Other information**

- **Phenylketonurics: each tablet contains:** phenylalanine 0.28 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

**Inactive ingredients**

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

**Questions or comments?**

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

**www.reliable1labs.com**

**NDC 69618-028-10**

**Meclizine HCL 25 mg**

**ANTIEMETIC**

**1000 TABLETS**

# THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN

\*Compare to Active Ingredient in BONINE®

NDC 69618-028-10



**Medizine HCl**  
25 mg  
ANTIEMETIC

1000 TABLETS

THIS PACKAGE FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN

\*Compare to Active Ingredient in BONINE®

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Medizine HCl 25 mg .....Antiemetic

**Uses** ■ prevents and treats nausea, vomiting or dizziness due to motion sickness ■ for other uses, consult your doctor

**Warnings**  
Ask a doctor before use if you have ■ glaucoma  
■ a breathing problem such as emphysema or chronic bronchitis  
■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

**When using this product**  
■ you may get drowsy ■ avoid alcoholic drinks  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take dose one hour before travel starts  
■ tablets can be chewed or swallowed whole with water  
adults & children 12 years and over: 1-2 tablets once daily  
children under 12 years: ask a doctor

**Other information**  
■ Phenyletonurics: each tablet contains: phenylalanine 0.28 mg  
■ store at room temperature 15°-30°C (59°-86°F)  
■ This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

**Inactive ingredients** aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

**Questions or comments?**  
call 516-341-0666, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.  
Distributed by: Reliable 1 Laboratories LLC, Valley Stream, NY 11580  
www.reliable1labs.com



3 69618 02810 4

Lot No.:  
Exp. Date:

Rev. 0715

## MECLIZINE HCL 25 MG

meclizine hcl tablet

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:69618-028 |
| Route of Administration | ORAL           |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength       | Strength |
|--|-------------------------|----------|
| MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) | MECLIZINE HYDROCHLORIDE | 25 mg    |

### Inactive Ingredients

| Ingredient Name                                | Strength |
|--|----------|
| DEXTROSE (UNII: IY9XDZ35W2)                    |          |
| FD&C RED NO. 40 (UNII: WZB9127XOA)             |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)          |          |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) |          |
| RASPBERRY (UNII: 4N14V5R27W)                   |          |
| ASPARTAME (UNII: Z0H242BBR1)                   |          |
| SUCROSE (UNII: C151H8M554)                     |          |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)       |          |

### Product Characteristics

|          |                              |              |          |
|----------|------------------------------|--------------|----------|
| Color    | pink (Light Raspberry color) | Score        | 2 pieces |
| Shape    | ROUND                        | Size         | 8mm      |
| Flavor   | RASPBERRY                    | Imprint Code | AP;115   |
| Contains |                              |              |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69618-028-01 | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 11/01/2015           |                    |
| 2 | NDC:69618-028-10 | 1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/01/2015           |                    |



# MECLIZINE HCL 25MG CHEW TABLET

## Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part336                                  | 11/01/2015           |                    |

**Labeler** - Reliable 1 Laboratories LLC (079718111)

