

HARMON FACE VALUES ANTI DIARRHEAL- loperamide hcl tablet, film coated
Harmon Stores Inc.

Harmon Stores Inc. Anti-Diarrheal Drug Facts

Active ingredient (in each caplet)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Do not use

if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics

When using this product

- tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

Inactive ingredients

anhydrous lactose, carnauba wax, D&C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare Ours to the Active Ingredient in Imodium[®] A-D

Loperamide Hydrochloride Tablets, 2mg

Anti-Diarrheal

Controls the symptoms of diarrhea

ACTUAL SIZE

Easy to Swallow

12 Caplets*

*Each caplet (capsule-shaped tablet) contains 2 mg loperamide hydrochloride

: 22453 WR C1

HARMON®
FACEVALUES™

Compare Ours to
the Active Ingredient
in Imodium® A-D**

Loperamide Hydrochloride Tablets, 2mg

Anti-Diarrheal

Controls the symptoms
of diarrhea

OPEN OTHER END

CONVENIENT RECLOSING TAB



ACTUAL
SIZE





Easy to
Swallow

12 Caplets*

* Each caplet (capsule-shaped tablet)
contains 2mg loperamide hydrochloride

**This product is not
manufactured or
distributed by McNeil
Consumer Healthcare,
the distributor of
Imodium® A-D.



Harmon
Satisfaction
Guaranteed
or Your
Money Back

Distributed by Harmon Stores, Inc.
Union, NJ 07083 USA © Harmon Stores, Inc.
Visit us at: www.facevalues.com

Drug Facts (continued)
(Questions or comments? 1-800-719-9260)

**Drug Facts****Active ingredient (in each caplet)**

Loperamide HCl 2 mg.....Anti-diarrheal

Purpose**Use** controls symptoms of diarrhea, including Travelers' Diarrhea ▼**Drug Facts (continued)****Warnings****Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl**Do not use** if you have bloody or black stool**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are taking antibiotics**When using this product**

- tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if ■ symptoms get worse ■ diarrhea lasts for more than 2 days
 ■ you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**Directions**

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- **do not use if blister unit is broken or torn**

Inactive ingredients anhydrous lactose, carnauba wax, D&C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch ▼

HARMON FACE VALUES ANTI DIARRHEAL

loperamide hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63940-224
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	GREEN	Score	2 pieces
Shape	CAPSULE	Size	10mm
Flavor		Imprint Code	L2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63940-224-53	12 in 1 CARTON	12/18/2011	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075232	12/18/2011	

Labeler - Harmon Stores Inc. (804085293)

Revised: 12/2019

Harmon Stores Inc.