

**DIGESTIVE RELIEF- bismuth subsalicylate tablet, film coated
SAFEWAY**

Digestive Relief Bismuth Subsalicylate 262 mg

Drug Facts

Active ingredient (in each caplet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and anti-diarrheal

Uses

relieves:

- travelers' diarrhea
- diarrhea

upset stomach due to overindulgence in food and drink, including: ■ heartburn ■ indigestion ■ nausea ■ gas ■ belching ■ fullness

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products.

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning the blood)
- diabetes

- gout
- arthritis

When using this product

a temporary but harmless darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

Directions

- swallow with water, do not chew
- **adults and children 12 years and older:** 2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other Information

- **each caplet contains:** calcium 27 mg, sodium 3 mg
- salicylate 99 mg
- low sodium
- sugar free
- store at room temperature

Questions or comments?

1-866-467-2748

Inactive Ingredients

calcium carbonate, crospovidone, D&C Red No. 27, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

NDC# 21130-125-40

Compare to the active ingredient Pepto-Bismol®*

Digestive Relief

Bismuth Subsalicylate 262 mg

Upset Stomach Reliever/ Antidiarrheal

5 Symptoms Digestive Relief


- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

40 CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS
BROKEN OR MISSING**

Distributed by:

*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of Pepto-Bismol®.



DIGESTIVE RELIEF

bismuth subsalicylate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-125
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL (Caplet)	Size	16mm
Flavor		Imprint Code	RP125
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-125-40	1 in 1 CARTON	10/05/2020	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	10/05/2020	

Labeler - SAFEWAY (009137209)

Revised: 11/2023

SAFEWAY