

**ALLERGY RELIEF- loratadine tablet**  
**NuCare Pharmaceuticals, Inc.**

-----

**Active ingredient (in each tablet)**

Loratadine 10mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever and other upper respiratory allergies:
  - runny nose
  - sneezing
  - itching of the nose and throat
  - itchy, watery eyes

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease.  
Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed.

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- **TAMPER EVIDENT:** Do not use if imprinted seal under cap is missing or broken
- store between 2°C and 30°C (36°F-86°F)
- product of Canada
- protect from excessive moisture

### Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate,  
magnesium stearate, microcrystalline cellulose

### Questions?

call 1-800-540-3765

### package label

**NuCare Pharmaceuticals, Inc.**

NDC: 68071-4318-3  
**Loratadine 10mg**  
**#30 Tablets**

See manufacturer's label  
for full list of ingredients.

Product #: R0824030

Loratadine 10mg  
Lot: 000000 NDC: 68071-4318-03  
MFR NDC: 57896-788-03 Exp.: 00-00

Loratadine 10mg  
Lot: 000000 NDC: 68071-4318-03  
MFR NDC: 57896-788-03 Exp.: 00-00

GTIN 00368071431834  
Serial# 00000000002  
Exp. Date 00-00  
LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Take \_\_\_\_\_ every \_\_\_\_\_ hours  
\_\_\_\_\_ times a day.

68071431803\*30\*000000\*000000

Rev 01/01/19

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 36-86°F.

## ALLERGY RELIEF

loratadine tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68071-4318(NDC:57896-788)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	LOR;10;APO
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68071-4318-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	03/07/2018	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA076471	01/01/2008	

**Labeler** - NuCare Pharmaceuticals,Inc. (010632300)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NuCare Pharamceuticals ,Inc.		010632300	relabel(68071-4318)

Revised: 2/2021

NuCare Pharmaceuticals,Inc.