

ALLERGY RELIEF- loratadine tablet
Novartis Consumer Health, Inc.

Drug Facts

Active ingredient

loratadine 10mg

Purpose

antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

• runny nose • itchy, watery eyes • sneezing • itching of the nose or throat

Warnings

Do Not Use

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask Doctor

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When Using

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop Use

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

Pregnancy or Breast Feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep Out of Reach of Children

Keep out of reach of children.

Overdose

In case of overdose, get medical help or contact a Poison Control Center right away.

Other Information

- safety sealed: do not use if the imprinted bottle seal with “sealed for your protection” is open or torn (for bottle carton only)
- safety sealed: do not use if the imprinted blister unit is open or torn (for blister carton only)
- store at 20-25°C (68-77°F) (see USP Controlled Room Temperature)

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Inactive ingredients

lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions

call **1-800-452-0051**

Distributed by DOLGENCORP, LLC

100 Mission Ridge

Goodlettsville, TN 37072

Principal Display

Questions or comments? call 1-800-452-0051 24 hours a day, 7 days a week

Inactive ingredients
lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Other information
• store at 20-25°C (68-77°F) (see USP Controlled Room Temperature)
• safety sealed: do not use if the imprinted blister unit is open or torn

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Directions
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
If pregnant or breast-feeding, ask a health professional before use.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Warnings
• runny nose • itchy, watery eyes • sneezing • itching of the nose or throat

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
Loratadine, USP 10 mg Antihistamine

Drug Facts
Active ingredient (in each tablet)
Purpose

TAMPER EVIDENT FEATURE: Loratadine Tablets are safety sealed. Do not use if imprinted blister unit is open or torn.



0067-6122-30

*Compare to the active ingredient in CLARITIN®

DG
Guarantee

HEALTHsense™

Non-Drowsy*
*When taken as directed. See Drug Facts Panel.

Allergy Relief

Loratadine Tablets,
10 mg • Antihistamine

24 Hour Relief of:

- Sneezing • Itchy, Watery Eyes**
- Runny Nose • Itchy Throat or Nose**
- Indoor & Outdoor Allergies**

30 TABLETS



Claritin® (loratadine) 10 mg tablets
 This product is not manufactured or distributed by
 Schering Corporation, distributor of Claritin®.

DISTRIBUTED BY DOLGENCORP, LLC
 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072

©2008



Dollar General

ALLERGY RELIEF

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0067-6122
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OPIR32D61U)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	GG;296
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0067-6122-30	3 in 1 CARTON		
1		10 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA075209	01/11/2010	

