

EQUALINE MAXIMUM STRENGTH STOMACH RELIEF - bismuth subsalicylate liquid
Supervalu Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equaline Maximum Strength Stomach Relief Liquid

ACTIVE INGREDIENT(in each 30 mL)

Bismuth subsalicylate 1050 mg

PURPOSE

Upset stomach reliever and anti-diarrheal

USE(S)

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

WARNINGS

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

DO NOT USE IF YOU HAVE

- an ulcer
- bloody or black stool

- a bleeding problem

ASK A DOCTOR BEFORE USE IF YOU HAVE

- fever
- mucus in the stool

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

WHEN USING THIS PRODUCT

a temporary, but harmless darkening of the stool and/or tongue may occur

STOP USE AND ASK DOCTOR IF

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- **shake well before use**
- mL = milliliter
- TBSP = tablespoon
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every hour as needed
- do not exceed 4 doses (8 TBSP or 120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration caused by diarrhea

OTHER INFORMATION

- **each 30 mL or 2 TBSP contains:**
- potassium 25 mg
- salicylate 471 mg
- sodium 8 mg
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)
- dosage cup provided

INACTIVE INGREDIENTS

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum

PRINCIPAL DISPLAY PANEL

NDC 41163-937-05

compare to Pepto-Bismol Maximum Strength active ingredient*

EQUALINE

maximum strength

stomach relief liquid

bismuth subsalicylate 1050 mg per 30 mL

(upset stomach reliever/antidiarrheal)

5 symptom digestive relief:

- heartburn
- indigestion
- nausea
- upset stomach
- diarrhea

12 FL OZ (354 mL)

Drug Facts**DO NOT USE IF IMPRINTED SHRINKBAND IS MISSING OR BROKEN.**

Active ingredient (in each 30 mL) Purpose
 Bismuth subsalicylate 1050 mgUpset stomach reliever and anti-diarrheal

Uses relieves: ■ diarrhea ■ heartburn ■ indigestion ■ nausea ■ upset stomach associated with these symptoms

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are ■ allergic to salicylates (including aspirin) ■ taking other salicylate products

Do not use if you have ■ bloody or black stool ■ an ulcer ■ a bleeding problem

Ask a doctor before use if you have ■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for ■ anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if ■ symptoms get worse ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

◀ **Drug Facts continued**

NDC 41163-937-05

 compare to
Pepto-Bismol®
 Maximum Strength
 active ingredient*
EQUALINE®
 maximum strength
stomach relief liquid

 bismuth subsalicylate
 1050mg per 30mL
 (upset stomach reliever/
 anti-diarrheal)
5 symptom digestive relief

- heartburn
- indigestion
- nausea
- upset stomach
- diarrhea

12 FL OZ (354mL)**Drug Facts (continued)**

Directions ■ shake well before use ■ mL = milliliter
 ■ TBSP = tablespoon ■ adults and children 12 years and over:
 1 dose (2 TBSP or 30 mL) every hour as needed
 ■ do not exceed 4 doses (8 Tbsp or 120 mL) in 24 hours
 ■ use until diarrhea stops but not more than 2 days
 ■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information ■ each 30 mL or 2 TBSP contains:
 • potassium 25 mg • salicylate 471 mg • sodium 8 mg
 ■ protect from freezing. ■ avoid excessive heat (over 104°F or 40°C). ■ dosage cup provided

Inactive ingredients benzoic acid, D&C red 22, D&C red 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

 DISTRIBUTED BY SUPERVALU INC., EDEN PRAIRIE, MN 55344 USA
 877-932-7948, supervaluprivatebrands.com

 *This product is not manufactured or distributed by
 The Procter & Gamble Company, owner of the registered
 trademark Pepto-Bismol® Maximum Strength.

MFR# 53041 REV 0718

**EQUALINE MAXIMUM STRENGTH STOMACH RELIEF**

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-937
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	1050 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

XANTHAN GUM (UNII: TTV12P4NEE)

Product Characteristics

Color	PINK	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-937-05	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/23/2018	
2	NDC:41163-937-04	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/23/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part335	09/23/2018	

Labeler - Supervalu Inc. (006961411)

Revised: 1/2022

Supervalu Inc.