

**4141 FIRST AID KIT- 4141 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4141: First Aid Kit (Eye Wash, Hand Sanitizer, FABC, Neomycin, alcohol wipe- FAKREFU-B)

Active ingredient

Sterile Water 99%

Purpose

Eyewash

Uses

- For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

Warnings

For external use only- Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using
- twist top to remove

- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive Ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions?

Call **1-800-430-5490**

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites

- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream***Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

Questions

1-800-430-5490

Neomycin Antibiotic Ointment***Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin Antibiotic Ointment***Purpose***

First aid antibiotic

Neomycin Antibiotic Ointment***Uses***

first aid to help prevent infection in - minor cuts - scrapes - burns

Neomycin Antibiotic Ointment

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin Antibiotic Ointment

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin Antibiotic Ointment

Other information

store at 15 ° to 25 °C (59 ° to 77 °F)

Neomycin Antibiotic Ointment

Inactive ingredient

petrolatum

Neomycin Antibiotic Ointment

Questions

1-800-430-5490

Hand Sanitizer

Active ingredient

Ethyl alcohol 62%

Hand Sanitizer

Purpose

Antiseptic handwash

Hand Sanitizer

Uses

- for hand washing to decrease bacteria on skin
- recommended for repeated use

Hand Sanitizer

Warnings

For external use only

Flammable, keep away from fire or flame

When using this product

- do not use in the eyes
- discontinue use if irritation and redness develops
- If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hand Sanitizer

Directions

- wet hands thoroughly with product and allow to dry without wiping

Hand Sanitizer

Other information

- place a quarter size amount into one hand, spread over both hands to wrist and rub into skin until dry
- store at 15 ° to 25 ° C (59 ° to 77 ° F)

Hand Sanitizer

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water .

Hand Sanitizer

Questions or Comments

1-800-275-3433 info@waterjel.com

Alcohol Wipe

Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe

Warnings

For external use only

Flammable, keep away from fire and flame

Do not use

- in or near eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week unless directed by a doctor

Stop use and consult a doctor if

- condition persists or gets worse

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control center right away

Alcohol Wipe

Directions

- store at room temperature 15 o to 25 o C (59 o to 77 oF)
- do not use if packet is torn or opened

Alcohol Wipe
Inactive ingredient

water

Alcohol Wipe
Questions

1-800-430-5490

4141
FAKREFU-B Kit Contents


- 1 HAND SANITIZER 10/PER
- 1 NEOMYCIN OINT 0.9 GM , UNTZD 25/BX
- 1 EYE DRESS PKT W/4 ADH STRIPS
- 1 GAUZE BANDAGE, 4" X 6 YD
- 1 TOURNIQUET
- 2 TRIANGULAR BDG, NON-STERILE
- 1 WIRE SPLINT 1 PER
- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 ADH TAPE, .5" X 2.5 YD, 2 PER
- 2 BANDAGE COMP 24" X 72", UNTZD 2/BX
- 1 FORCEPS & SCISSORS, 1 EA
- 1 GAUZE BANDAGE, 2" X 6 YD,2 PER
- 2 INSTANT COLD PACK 4" X 6"
- 1 1" X 3" PLAS STRIP BAN, UNITZD 50/BX
- 1 BURN CREAM POUCHES 25/EA
- 2 BURN-STOP BURN DRESSING 4 X 4
- 1 ALCOHOL WIPES, UNITIZED 50/BX
- 2 NITRILE GLOVES 2PR BBP
- 1 FIRST AID GUIDE ASHI
- 1 CPR MICROSHIELD DOUBLE UNIT
- 1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
- LBL STOCK 6-3/8"X4"

1 LBL STOCK 3"x1-7/8"

1 ZIP LOCK BAG 14 X 20 1.5 MIL

Eye Wash Package label


#32-004513 Rev. H



Top Panel
3/32" from die edges

Back
1/8" from die edges


Label Patent Number
Can be anywhere on
the label at 3.5pt minimum
(use any dark color on that layer)



Base
3/32" from die edges

Printable Text Area

First Aid Burn Cream Principal Display Panel



Principal Display Panel

822568-25	
Neomycin First aid antibiotic	<div style="text-align: right;"> 020126-25 </div> <hr/> <div style="text-align: right;"> Neomycin <i>First aid antibiotic</i> Neomycin sulfate <i>First aid antibiotic</i> </div> <hr/> <p>Distributed by: Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p style="text-align: right;">25 Packets, Net Wt 1/32 oz (0.9 g) each</p>

822568-25	Neomycin First aid antibiotic																																		
	<table border="1"> <tr> <td colspan="2">Drug Facts</td> </tr> <tr> <td>Active ingredient (in each gram)</td> <td>Purpose</td> </tr> <tr> <td>Neomycin sulfate (equivalent to 3.5 mg neomycin)</td> <td>First aid antibiotic</td> </tr> <tr> <td colspan="2">Use first aid to help prevent infection in minor • cuts • scrapes • burns</td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">For external use only</td> </tr> <tr> <td colspan="2">Allergy alert • do not use if you are allergic to any of the ingredients</td> </tr> <tr> <td colspan="2">Do not use • in the eyes • over large areas of the body</td> </tr> <tr> <td colspan="2">Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops • you need to use longer than one week</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2">Directions • clean the affected area</td> </tr> <tr> <td colspan="2">• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</td> </tr> <tr> <td colspan="2">• may be covered with a sterile bandage</td> </tr> <tr> <td colspan="2">Other information store at 15° to 25°C (59° to 77°F)</td> </tr> <tr> <td colspan="2">Inactive ingredient petrolatum</td> </tr> <tr> <td colspan="2">Questions or comments? 1-800-430-5490</td> </tr> </table>	Drug Facts		Active ingredient (in each gram)	Purpose	Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic	Use first aid to help prevent infection in minor • cuts • scrapes • burns		Warnings		For external use only		Allergy alert • do not use if you are allergic to any of the ingredients		Do not use • in the eyes • over large areas of the body		Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns		Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops • you need to use longer than one week		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions • clean the affected area		• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily		• may be covered with a sterile bandage		Other information store at 15° to 25°C (59° to 77°F)		Inactive ingredient petrolatum		Questions or comments? 1-800-430-5490	
Drug Facts																																			
Active ingredient (in each gram)	Purpose																																		
Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic																																		
Use first aid to help prevent infection in minor • cuts • scrapes • burns																																			
Warnings																																			
For external use only																																			
Allergy alert • do not use if you are allergic to any of the ingredients																																			
Do not use • in the eyes • over large areas of the body																																			
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns																																			
Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops • you need to use longer than one week																																			
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																			
Directions • clean the affected area																																			
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily																																			
• may be covered with a sterile bandage																																			
Other information store at 15° to 25°C (59° to 77°F)																																			
Inactive ingredient petrolatum																																			
Questions or comments? 1-800-430-5490																																			

Hand Sanitizer Principal Display Panel



INSTANT


Hand Sanitizer

**Antiseptic Gel
With Vitamin E & Aloe**

**Kills 99.9% of Germs
Without Water**

240mL - (8 fl oz)

**Alcohol Wipe
Principal Display Panel**



46001363 Rev.C

Prints 3 colors

Black, Red (PMS 186) and Blue (PMS 072)

Refill Information

US Poison Control 1-800-222-1222



Contact your authorized Honeywell Safety Products
Distributor with your refill orders.

Honeywell

www.honeywellsafety.com

USA	CANADA	EUROPE
1-401-943-4400	1-514-351-7233	+31 (0) 118 656400
1-800-430-4110	1-888-212-7233	

46001363 Rev. C

4141 FIRST AID KIT

4141 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4141
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4141-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	50 POUCH	20 mL
Part 3	25 PACKET	22.5 g
Part 4	25 PACKET	22.5 g
Part 5	10 PACKET	9 mL

Part 1 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
---------------------------	---------------

Route of Administration	OPHTHALMIC
--------------------------------	------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 5

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/11/2018	

Part 3 of 5

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0K00R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 4 of 5

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 5 of 5

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)