

ARTH RX TOPICAL ANALGESIC- methyl nicotinate, capsaicin lotion
HCD Sales

Arth RX Topical Analgesic

Active Ingredients	Purpose	Methyl nicotinate 0.5%	External Analgesic
Capsaicin 0.025 %	External Analgesic		

Uses: Temporarily relieves minor aches and pains of muscles and joints due to:

- Arthritis - Strains - Sprains

WARNINGS

FOR EXTERNAL USE ONLY

When Using This Product

- Avoid contact with eyes - Do not apply to wounds or damaged skin - Do not bandage tightly

Stop use and ask doctor if

- Condition worsens - Excessive irritation of the skin develops - Pain persists for more than 7 days - Symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a poison control center immediately.

Directions - Adults apply to affected area no more than 3-4 times daily - Children under 18 consult a physician - Apply to small area of the skin as test for sensitivity at least 60 minutes prior to applying to wide area.

Inactive Ingredients

Isopropanol, water, extracts of arnica and rue, polyacrylamide, C 13-14 isoparaffin. tween 80, laureth-7, boswellia, extract of chamomile, aloe, fragrance.

Questions or comments

Toll free 1-800-729-8446

Products containing capsaicin may cause a burning, stinging or tingling sensation where applied. This is a natural reaction and varies with each individual usually decreasing or disappearing after continued use. Please read package insert prior to use. may be removed from the test area by wiping or olive oil.

Distributed by: HCD sales, Inc, Tampa, FL 33549 www.hcdsales.com

arth.Rx TOPICAL ANALGESIC ARTHRITIS PAIN RELIEF PENETRATING PAIN RELIEF, DOUBLE ACTION FORMULA WITH DOCTOR RECOMMENDED CAPSAICIN NEW WT 3 OZ (85 g)

Drug Facts

Active Ingredients	Purpose
Methyl nicotinate 0.5%	External Analgesic
Capsaicin 0.025%	External Analgesic

Uses: Temporarily relieves minor aches and pains of muscles and joints due to:

- Arthritis • Strains • Sprains

WARNINGS

FOR EXTERNAL USE ONLY

When Using This Product

- Avoid contact with eyes
- Do not apply to wounds or damaged skin
- Do not bandage tightly

Stop use and ask doctor if

- Condition worsens
- Excessive irritation of the skin develops
- Pain persists for more than 7 days
- Symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a poison control center immediately.

Directions

- Adults apply to affected area no more than 3-4 times daily
- Children under 18 consult a physician
- Apply to small area of the skin as test for sensitivity at least 60 minutes prior to applying to wide area.

arth.Rx™

TOPICAL ANALGESIC

ARTHRITIS PAIN RELIEF

PENETRATING PAIN RELIEF, DOUBLE ACTION FORMULA

WITH DOCTOR RECOMMENDED CAPSAICIN

NET WT 3 OZ (85 g)

Drug Facts (continued)

Inactive ingredients

Isopropanol, water, extracts of arnica and rue, polyacrylamide, C 13-14 isoparaffin, tween 80, laureth-7, boswellia, extract of chamomile, aloe, fragrance.

Questions or comments

Toll free 1-800-729-8446

Products containing capsaicin may cause a burning, stinging or tingling sensation where applied. This is a natural reaction and varies with each individual usually decreasing or disappearing after continued use. Please read package insert prior to use. ***** may be removed from the test area by wiping with rubbing alcohol or olive oil.

Distributed by:
HCD Sales, Inc.
Tampa, FL 33549
www.hcdsales.com

ARTH RX TOPICAL ANALGESIC

methyl nicotinate, capsaicin lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76069-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL NICOTINATE (UNII: 7B1AVU9DJN) (NIACIN - UNII:2679MF687A)	METHYL NICOTINATE	0.5 g in 100 g
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.025 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
WATER (UNII: 059QF0KO0R)	
POLYQUATERNIUM-7 (70/30 ACRYLAMIDE/DADMAC; 1600 KD) (UNII: 0L414VCS5Y)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
LAURETH-7 (UNII: Z95S6G8201)	
ALOE (UNII: V5VD430YW9)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76069-100-03	85 g in 1 BOTTLE; Type 0: Not a Combination Product	02/05/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/12/2011	

Labeler - HCD Sales (137317314)

Revised: 11/2023

HCD Sales