

DIABECLINE - tetracycline hydrochloride ointment
THRU PHARMA, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Tetracycline hydrochloride 3%

Purpose

First aid antibiotic ointment

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- hold the tube gently, with swab handle facing upward, pinch tube firmly at dotted line. With other

- hand, grasp applicator handle at base.
- bend gently down until seal is broken, twist gently until handle separates from tube
 - use *EasySnap*[™] handle to pull swab from tube
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
 - discard swab applicator after use

Other information

- tamper evident: safety sealed swabs. Do not use if seal has been broken.
- store at room temperature 20-25°C (68-77°F)

Inactive ingredients

ascorbic acid (vitamin C), cholecalciferol (vitamin D3), dimethyl sulfoxide, dipropylene glycol

Questions?

Call 1-888-396-5139

Principal display panel

NEW! NDC 24471-200-10

Diabecline[®]

Tetracycline HCl 3% | **First Aid Antibiotic Ointment**

The Power to Protect.

**Maximum Strength
First Aid Antibiotic Ointment**

24 Hour Infection Protection

**10 *EasySnap*[™] Swabs
0.2 ml each**

Maximum strength hypoallergenic topical first aid antibiotic


Broad-spectrum dual-action antibiotic kills bacteria, creates a zone of protection

Convenient *EasySnap*[™] swab application for extra reach and precise delivery

Questions? Visit diabecline.com or call 1-888-396-5139

100% MONEY BACK GUARANTEE

PharmaCline



Diabecline®

Tetracycline HCl 3% | First Aid Antibiotic Ointment

100% MONEY BACK GUARANTEE

Diabecline®

Tetracycline HCl 3% | First Aid Antibiotic Ointment



Drug Facts	
Active ingredient	Purpose
Tetracycline hydrochloride 3%.....	First aid antibiotic ointment
Uses first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns	
Warnings For external use only	
Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ clean the affected area ■ hold tube gently, with swab handle facing upward, pinch tube firmly at dotted line. With other hand, grasp applicator handle at base. ■ bend gently down until seal is broken, twist gently until handle separates from tube ■ use EasySnap™ swab handle to pull swab from tube ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ discard swab applicator after use	
Other information ■ tamper evident: safety sealed swabs. Do not use if seal has been broken. ■ store at room temperature 20-25°C (68-77°F)	
Inactive ingredients ascorbic acid (vitamin C), cholecalciferol (vitamin D3), dimethyl sulfoxide, dipropylene glycol	
Questions? Call 1-888-396-5139	

Diabecline®

Tetracycline HCl 3% | First Aid Antibiotic Ointment

with Vitamin D

1 EasySnap™ Swab 0.2 ml

See package insert for full product Uses, Directions and Warnings.

Store at 20-25°C (68-77°F)

Tamper evident: do not use if cap on swab is broken or missing

Dist. by: pharmaCline, Sioux Falls, SD 57107

©pharmaCline 2012 1-888-396-5139

PINCH HERE, SNAP & PULL OUT



DIABECLINE

tetracycline hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24471-200
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Tetracycline Hydrochloride (UNII: P6R62377KV) (Tetracycline - UNII:F8VB5M810T)	Tetracycline Hydrochloride	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Ascorbic Acid (UNII: PQ6CK8PD0R)	
Cholecalciferol (UNII: 1C6V77QF41)	
Dimethyl Sulfoxide (UNII: YOW8V9698H)	
Dipropylene Glycol (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24471-200-10	10 in 1 BOX		
1		.2 mL in 1 APPLICATOR		
2	NDC:24471-200-30	30 in 1 BOX		
2		.2 mL in 1 APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph final	part333B	05/23/2013	
---------------------	----------	------------	--

Labeler - THRU PHARMA, LLC (968309232)

Establishment

Name	Address	ID/FEI	Business Operations
Great Midwest Packaging, LLC		784514502	REPACK(24471-200)

Establishment

Name	Address	ID/FEI	Business Operations
Continental Manufacturing Chemist, Inc.		005278007	MANUFACTURE(24471-200)

Revised: 5/2013

THRU PHARMA, LLC