

ANTACID- calcium carbonate tablet, chewable
Meijer Distribution Inc

Meijer Distribution, Inc. Antacid Tablets Drug Facts

Active ingredient (per tablet)

Calcium Carbonate USP 1000 mg

Purpose

Antacid

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 7 tablets in 24 hours
- if pregnant do not take more than 5 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks except under the advice and supervision of a doctor

Keep out of reach of children.

Directions

- **adults and children 12 years of age and over:** chew 2-3 tablets as symptoms occur, or as directed by a doctor
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor

Other information

- **each tablet contains:** calcium 400mg
- store at room temperature. Keep the container tightly closed.

Inactive ingredients

adipic acid, dextrose, FD&C Blue No. 1, FD&C Red No. 40, flavors, magnesium stearate, maltodextrin, starch, sucralose

Questions or Comments?

1-866-467-2748

Principal Display Panel

meijer[®]

NDC 41250-723-72

Compare to Ultra Strength Tums[®] active ingredient*

antacid tablets

Calcium Carbonate 1000 mg

Ultra Strength

Assorted Berries Flavor

Naturally and Artificially Flavored

Fast Relief of Upset Stomach, Heartburn, and Acid Indigestion

72 Chewable Tablets

K PAREVE

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544


www.meijer.com

OUR QUALITY GURANTEEE

WWW.MEIJER.COM/SATISFACTION

GLUTEN -FREE

This product is not manufactured or distributed by GlaxoSmithKline LLC Owner of the registered trademark, Tums[®]



Drug Facts

Active ingredient (per tablet)	Purpose
Calcium Carbonate USP 1000mg.....	Antacid

Uses relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

Warnings
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 7 tablets in 24 hours
- if pregnant do not take more than 5 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks except under the advice and supervision of a doctor

Keep out of reach of children.

Directions

- **adults and children 12 years of age and over:** chew 2-3 tablets as symptoms occur, or as directed by a doctor
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor

Other information

- **each tablet contains:** elemental calcium 400mg
- store at room temperature. Keep the container tightly closed.

Inactive ingredients adipic acid, dextrose, FD&C Blue No. 1, FD&C Red No. 40, flavors, magnesium stearate, maltodextrin, starch, sucralose

Questions or comments? 1-866-467-2748

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

DIST. BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com

OUR QUALITY GUARANTEE
 www.meijer.com/quality

GLUTEN-FREE
 *This product is not manufactured or distributed by GlaxoSmithKline LLC, owner of the registered trademark, Tums®.

PID 3333839

7 19283 63166 4

LOT:

EXP: 103AB72MJRLB

ANTACID

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-723
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII: 7UJQ5OPE7D, CALCIUM CATION - UNII: 2M83C4R6Z B)	CALCIUM CARBONATE	1000 mg

Inactive Ingredients

Ingredient Name	Strength
ADIPIC ACID (UNII: 76A0JE0FKJ)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	PINK (dark pink) , PINK (rose) , PURPLE (violet)	Score	no score
Shape	ROUND	Size	17mm
Flavor	BERRY (strawberry,raspberry,berry)	Imprint Code	RP103
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-723-72	72 in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/14/2017	

Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2023

Meijer Distribution Inc