MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet, chewable Rugby Laboratories

5172C- Rubgy

Drug Facts

Active ingredient (in each chewable tablet) Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness due to motion sickness

Do not use in

children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

🛛 glaucoma

a breathing problem such as emphysema or chronic bronchitis
 trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if

you are taking sedatives or tranquilizers

When using this product

Do not exceed recommended dosage

may cause drowsiness

🛭 alcohol, sedatives, and tranquilizers may increase drowsiness

avoid alcoholic drinks

use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years of age and over	chew 1 to 2 tablets once daily, or as directed by a doctor
children under 12 years of age	do not give this product to children under 12 years of age unless directed by a doctor

Other information

Store in a dry place at 15°-30°C (59°-86°F)
 keep lid tightly closed

Croscarmellose Sodium, Crospovidone, FD&C Red #40 Lake, French Vanilla Flavor, Lactose, Magnesium Stearate, Raspberry Flavor, Silica, Sodium Saccharin, Stearic Acid

Questions or comments?

1-800-645-2158

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Wellspring Pharmaceutical Corporation, owner of the registered trademark Bonine®.

Distributed by: RUGBY® LABORATORIES Indianapolis, IN 46268 www.rugbylaboratories.com

Rugby

NDC 0536-1299-10 Compare to the active ingredient in Bonine®*

Meclizibe 25 mg

Antiemetic

1000 Chewable Tablets

Rugby R NDC 0536-129-10 Compare to the active ingredient in Bonne®		<i>Purpose</i> Antiemetic	due to motion sickness	a doctor	or chronic bronchitis	ves or tranquilizers	- 2	use. Keep out of act a Poison Control	el starts	4	12 years of age	9°-86°F)	one, FD&C red #40 y flavor, silica,		N OR MISSING	Rev. 03/22 R-29 Re-order No. 371033 R50944	29910	
Meclizine			vomiting or dizziness due to	of age unless directed by	physema	Ask a doctor or pharmacist before use if you are taking sedatives	Mhen using this product = Do one scored recommended dosage = drowsmess may occur sedatives; and tranquitizers may increases drowsmess = avoid aloob sedatives; and tranquitizers may increases drowsmess = avoid aloob = use caution when driving a motor vehicle or operating machinery	f pregnant or breast-feeding, ask a health professional before use. each of children. In case of overdose, get medical help or contact a center right away (1-600-222-1222).	be taken one hour before travel	chew 1 to 2 tablets once daily or as directed by a doctor	do not give to children under unless directed by a doctor	Store in a dry place at 15°-30°C (59°-86°F)	ssarmellose sodium, crospovidone, magnesium stearate, raspberry flav	1-800-645-2158	IDENT: DO NOT USE IF UNDER CAP IS BROKEN	outed	3 05361	
25 mg	ts	ingredient In chewable tablet) HOI 25 mg	and treats nausea,	children under 12 years	f you hav g problem an enlarge	r pharmacist before u	ig this product exceed recommended dosage i and tranquilizers may increase tion when driving a motor vehi	oreast-feeding, ask a l en. In case of overdose ay (1-800-222-1222).	 Dosage should 	adults and children 12 chew years of age and over or as o	0		redients cro a flavor, lactose, steartic acid.	or comments?	TAMPER EV SAFETY SEAL	 This product is not manufactured or distributed by Wellspring Pharmaceutical Corporation, owner of the registered trademark Bonine[®]. 	// DFATORIES IN 46268 aboratories.com	
1000 Chewable Tablets	Drug Facts	Active ingredient . (in each chewable Medizine HCI 25 mg	Uses prevents	Warnings Do not use in c	Ask a doctor before use i glaucoma m a breathing trouble urinating due to	Ask a doctor o	When using this product Do not exceed recomm sedatives, and tranquilizer use caution when drivin	If pregnant or bro reach of children Center right away	Directions	adults and years of ag	children under 12 years of age	Other information keep lid tightly closed	Inactive ingr lake, french vanilla sodium saccharin,	Questions	IMPRINTED	This product is w Wellspring F wner of the re	Distributed by: RUGBY*LABORATORIES Indianapolis, IN 46268 www.tugbylaboratories.com	Lot # & Exp. Date.

MECLIZINE HY		-				
meclizine hydrochlori	de tablei	t, chewable				
Product Informat	tion					
Product Type		HUMAN OTC DRUG	Item Code (S	ource)	NDC:053	6-1299
Route of Administra	tion	ORAL		ource,		
Noute of Administra						
Active Ingredient	Active/	Moiety				
-	Ingre	dient Name		Basis of St	trength	Strengt
MECLIZINE HYDROCHL UNII:3L5TQ84570)	ORIDE (UI	NII: HDP7W44CIO) (MECLIZ	INE -	MECLIZ INE HYDROCHLORID	DE	25 mg
Inactive Ingredier	otc					
mactive ingredier	its				Cha	
		Ingredient Name			Str	ength
)))				
VANILLA (UNII: Q74T350 MAGNESIUM STEARATE		07M6120)				
RASPBERRY (UNII: 4N14)		55710150)				
STEARIC ACID (UNII: 4EI						
SILICON DIOXIDE (UNII:						
FD&C RED NO. 40 (UNII						
LACTOSE MONOHYDRA						
SACCHARIN SODIUM (U						
CROSCARMELLOSE SO	DIUM (UN	II: M28OL1HH48)				
Product Characte	ristics					
Color	oink (Rosy)		Score		2 pie	ces
Shape F	ROUND		Size		9mm	
Flavor	VANILLA, R	ASPBERRY	Imprint C	ode	5172	
Contains						

Pa	ackaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0536-1299- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	10/30/2020	
2	NDC:0536-1299-	1000 in 1 BOTTLE; Type 0: Not a Combination	11/09/2020	
	10	Product	11/03/2020	
	10	Product	11,03,2020	
-		Product nformation	11,03,2020	
-			Marketing Start Date	Marketing End Date

Labeler - Rugby Laboratories (079246066)

Revised: 1/2024

Rugby Laboratories