

ALLERGY RELIEF- loratadine tablet
HARRIS TEETER

1193A-HTE-2021-0428

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor

consumers with liver or kidney disease ask a doctor

Other information

- store between 20 to 25°C (68 to 77°F)
- retain carton for complete product information and warnings

Inactive ingredients

lactose monohydrate, magnesium stearate, pregelatinized starch (maize), sodium starch glycolate

Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

Harris Teeter™

NDC 72036-193-04

Allergy Relief

†Compare to the Active Ingredient in Claritin® Tablets

Non-Drowsy*

Loratadine Tablets, 10mg

ANTIHISTAMINE

Indoor & Outdoor Allergies • Original Prescription Strength

Relieves

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

*When taken as directed. See Drug Facts panel.

10 TABLETS

Actual Size





F1193304RTE_R0

Drug Facts	
Active ingredient (in each tablet) Loratadine 10 mg.....Antihistamine	Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.	Directions adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours ask a doctor children under 6 years of age ask a doctor consumers with liver or kidney disease ask a doctor
Drug Facts (continued) Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center, right away (1-800-222-1222).	Other information ■ store between 20-25°C (68-77°F) ■ protect from excessive moisture ■ retain carton for complete product information and warnings
Inactive ingredients lactose monohydrate, magnesium stearate, pregelatinized starch (maize), sodium starch glycolate	Questions or comments? 1-844-705-4384

†This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of Claritin® Tablets

PROUDLY DISTRIBUTED BY:
HARRIS TEETER, LLC MATTHEWS, NC 28105
MADE IN INDIA

your plus guarantee.
1-800-432-6111 or harrisiteer.com

DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN

Allergy Relief 

Non-Drowsy*
Loratadine Tablets, **10 mg** / Antihistamine



Allergy Relief

NDC 72036-193-04

Non-Drowsy*
Loratadine Tablets, **10 mg**

ANTIHISTAMINE

Indoor & Outdoor Allergies • Original Prescription Strength

Relieves

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



*When taken as directed. See Drug Facts panel.

10 TABLETS



nc

nc

nc

ALLERGY RELIEF

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72036-193
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	white (white to off white)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	G;10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72036-193-04	1 in 1 CARTON	01/25/2021	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:72036-193-06	1 in 1 CARTON	01/25/2021	
2		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:72036-193-11	1 in 1 CARTON	04/28/2021	
3		90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210722	01/25/2021	

Revised: 4/2021

HARRIS TEETER