

AFTER CARE- dimethicone cream

Merz North America

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

AFTER CARE

Drug Facts

Active ingredients

Dimethicone 4%

Purpose

Skin protectant

Uses

- Helps prevent, temporarily protect and relieve chapped or cracked skin.

Warnings

For external use only.

When using this product

- Do not get into eyes

Stop use and ask a doctor if

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- Deep or puncture wounds
- Animal bites
- Serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply as needed.

Inactive ingredients

Water (Aqua), Octyl-Dodecanol, Petrolatum, Hydrogenated Polyisobutene, Glyceryl Stearate, Decyl Oleate, Glycerin, Propylene Glycol, Wheat Germ (Triticum Vulgare) Oil, Stearic Acid, Cetyl Alcohol, Ceteareth-20, Processed Skin Proteins (PSP(R)), Myreth-3 Myristate, Ceteareth-12, Cetearyl Alcohol, Cetyl Palmitate, Wild Yam (Dioscorea Villosa) Root Extract, Borage (Borago Officinalis) Seed Oil, Tocopheryl Acetate, Glycosphingolipids, Carbomer, Methylparaben, Sodium Methylparaben, Ethylparaben, BHT, Phenoxyethanol, Disodium EDTA, Sodium Hydroxide, Propylparaben.

Other information

- Protect this product from excessive heat and direct sun.

Distributed in the USA
by Merz North America, Inc.
Raleigh, NC 27615

PRINCIPAL DISPLAY PANEL - 15 ML Bottle Carton

aftercare

POST-TREATMENT
SOOTHING CREAM

NEOCUTIS®

aftercare

POST-TREATMENT
SOOTHING CREAM

Drug Facts

Active Ingredients

Dimethicone %

Purpose

Skin protectant

Uses

- Helps prevent, temporarily protect and relieve chapped or cracked skin.

Warnings

For external use only.

When using this product

- Do not get into eyes

Stop use and ask a doctor if

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- Deep puncture wounds
- Animal bites
- Serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply as needed.



NEOCUTIS®

18
11 12 1
10 2
9 3
8 4
7 6 5
19 20
S 1 2 3 S 1
35020-1
SP1842791

Drug Facts (continued)

Inactive Ingredients

Water (Aqua), Octyl-dodecanol, Petrolatum, Hydrogenated Polyisobutene, Glyceryl Stearate, Decyl Oleate, Glycerin, Propylene Glycol, Wheat Germ (Triticum Vulgare) Oil, Stearic Acid, Cetyl Alcohol, Ceteareth-20, Processed Skin Proteins (PSP®), Myreth-3 Myristate, Ceteareth-12, Cetearyl Alcohol, Cetyl Palmitate, Wild Yam (Dioscorea Villosa) Root Extract, Borage (Borago Officinalis) Seed Oil, Tocopheryl Acetate, Glycosphingolipids, Carbomer, Methylparaben, Sodium Methylparaben, Ethylparaben, BHT, Phenoxyethanol, Disodium EDTA, Sodium Hydroxide, Propylparaben.

Other Information

- Protect this product from excessive heat and direct sun.

Boosts collagen to promote
post-treatment recovery

POWERED BY
GROWTH FACTORS

2
3



Caution: For external use only. Keep out of eyes. If contact with eyes occurs, rinse eyes thoroughly with water. Discontinue use if signs of irritation or rash appear. Keep out of reach of children.

Non-comedogenic, dermatologist-tested,
free of color additives and fragrance,
not tested on animals

Distributed in the USA
by Merz North America, Inc.
Raleigh, NC 27615 | Made in USA

NEOCUTIS.com

USA: 866,636,2884

0.5 FL. OZ. (15 ML) | AW00852-03



Apply to the treated area
as needed, or as directed by
your skincare professional.

AFTER CARE

dimethicone cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46783-004
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	4 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
OCTYLDODECANOL (UNII: 461N1O614Y)			
PETROLATUM (UNII: 4T6H12BN9U)			
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)			
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)			
DECYL OLEATE (UNII: ZGR06DO97T)			

GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WHEAT GERM OIL (UNII: 14C97E680P)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
HUMAN SKIN PROTEINS, PARTIALLY HYDROLYZED (UNII: G9813R29TW)	
MYRETH-3 MYRISTATE (UNII: O2C2MN32O6)	
CETEARETH-12 (UNII: 7V4MR24V5P)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
DIOSCOREA VILLOSA TUBER (UNII: IWY3IWX2G8)	
BORAGE SEED OIL (UNII: F8XAG1755S)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
METHYLPARABEN SODIUM (UNII: CR6K9C2NHK)	
ETHYLPARABEN (UNII: 14255EXE39)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46783-004-15	1 in 1 CARTON	04/01/2019	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46783-004-20	1 in 1 CARTON	04/01/2019	
2		200 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:46783-004-04	4 mL in 1 TUBE; Type 0: Not a Combination Product	06/11/2019	
4	NDC:46783-004-30	1 in 1 CARTON	10/02/2023	
4		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	04/01/2019	

Labeler - Merz North America (028147846)

