

**STOMACH RELIEF MAXIMUM STRENGTH- bismuth subsalicylate liquid
EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 30 mL)

Bismuth subsalicylate 1050 mg

Purpose

Upset stomach reliever/Antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - fullness
 - belching

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- a sodium-restricted diet
- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- shake well before using
- mL = milliliter
- measure only with dosing cup provided. do not use any other dosing device
- keep dosing cup with product
- adults and children 12 years and over
 - 30 mL (1 dose) or 2 TBSP) every 1 hour as needed
 - do not exceed 4 doses (120 mL) in 24 hours
 - use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each 30 mL contains:** sodium 19 mg
- **each 30 mL contains:** salicylate 455 mg
- sugar free
- keep tightly closed
- protect from freezing

- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, D&C red #22, D&C red #28, flavor, magnesium aluminum silicate, methylcellulose, purified water, saccharin sodium, salicylic acid, sodium salicylate, sorbic acid

Questions or comments?

Call **1-888-287-1915**

Principal Display Panel

Compare to **Pepto-Bismol® Max Strength Active Ingredient***

Maximum Strength

Stomach Relief

Bismuth subsalicylate 1050 mg per 30 mL

Antidiarrheal/Upset Stomach Reliever

5 Symptom Relief of :

- Nausea
- Heartburn
- Indigestion
- Upset Stomach
- Diarrhea

Original flavor

FL OZ (mL)

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Pepto-Bismol®

TAMPER EVIDENT; DO NOT USE IF SAFETY SEAL AROUND CAP IS BROKEN OR MISSING.

Distributed by:

Wal-mart Stores, inc.,

Bentonville, AR 72716

Package Label

NDC 49035-371-2

Drug Facts (continued)

Directions ■ mL = milliliter ■ shake well before using
 ■ measure only with dosing cup provided. Do not use any other dosing device.
 ■ keep dosing cup with product
 ■ adults and children 12 years and over
 ■ 30 mL (1 dose) every 1 hour as needed
 ■ do not take more than 4 doses (120 mL) in 24 hours
 ■ use until diarrhea stops but not more than 2 days
 ■ children under 12 years of age: ask a doctor
 ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information ■ each 30 mL contains: sodium 19 mg
 ■ each 30 mL contains: salicylate 455 mg
 ■ sugar free ■ keep tightly closed ■ protect from freezing
 ■ avoid excessive heat (over 104°F or 40°C)

Inactive ingredients benzoic acid, D&C red #22, D&C red #28, flavor, magnesium aluminum silicate, methylcellulose, purified water, saccharin sodium, salicylic acid, sodium salicylate, sorbic acid

Questions or comments?
 Call 1-888-287-1915

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

Distributed by:
 Wal-Mart Stores, Inc.,
 Bentonville, AR 72716
 *This product is not
 manufactured or distributed
 by The Procter & Gamble
 Company. Pepto-Bismol® is a
 registered trademark of The
 Procter & Gamble Company.



equate™

Compare to
 Pepto-Bismol®
 Max Strength
 Active
 Ingredient*

Maximum Strength

Stomach Relief

Bismuth Subsalicylate
 1050 mg per 30 mL

Antidiarrheal/
 Upset Stomach
 Reliever

5 Symptom Relief of:

- Nausea
- Heartburn
- Indigestion
- Upset Stomach
- Diarrhea

1050 mg

12 FL OZ (355 mL)



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each 30 mL) Bismuth subsalicylate 1050 mg.....**Purpose** Upset stomach reliever/Antidiarrheal

Uses relieves ■ travelers' diarrhea ■ diarrhea
 ■ upset stomach due to overindulgence in food and drink, including
 ■ heartburn ■ gas ■ indigestion
 ■ nausea ■ fullness ■ belching

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Contains salicylate. Do not take if you are
 ■ allergic to salicylates (including aspirin) ■ taking other salicylate products

Do not use if you have
 ■ an ulcer ■ a bleeding problem ■ bloody or black stool

Ask a doctor before use if you have
 ■ a sodium-restricted diet ■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for
 ■ diabetes ■ gout ■ arthritis ■ anticoagulation (thinning the blood)

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if
 ■ symptoms get worse or last more than 2 days
 ■ ringing in the ears or loss of hearing occurs
 ■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Equate Maximum Strength Stomach Relief

STOMACH RELIEF MAXIMUM STRENGTH

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-371
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	1050 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 7671P0Y5NH)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
SODIUM SALICYLATE (UNII: WMQ1H85YP)	
SORBIC ACID (UNII: X045WJ989B)	
METHYLCELLULOSE (1500 CPS) (UNII: PONTE48364)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-371-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2014	10/31/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part335	10/31/2014	10/31/2024

Labeler - EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 1/2023

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)