

BASIC CARE BERRY ANTACID HBG- calcium carbonate tablet, chewable
Amazon.com

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium carbonate 750 mg
Simethicone 80mg

Active ingredients (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 80 mg

Purpose

Antacid

Anti-gas

Uses: Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach associated to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** calcium 300mg
- Store between 20° to 25°C (68° to 77°F) in a dry place
- Close cap tightly after use.

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn

starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898, Monday - Friday, 9AM - 4PM EST

<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> Each chewable tablet contains: Calcium 300 mg Contains soy Store between 20° to 25°C (68° to 77°F) in a dry place <p>Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, dextrin, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, maltodextrin, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.</p>	<p>amazon</p> <p>basic care</p> <p>EXTRA STRENGTH</p> <p>NDC 72288-235-82</p> <p>Compare to Tums® Chewy Bites® active ingredient*</p> <h1>Heartburn & Gas SuperChews®†</h1> <p>750 mg Calcium Carbonate/Antacid 80 mg Simethicone/Anti-Gas</p> <p>Relieves: Heartburn Sour Stomach Gas, Pressure & Bloating</p> <p>82 CHEWABLE TABLETS</p> <p>CHEWY NOT CHALKY®</p> <p>Mixed Berry Flavor</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredient (in each chewable tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Calcium carbonate 750 mg.....</td> <td>Antacid</td> </tr> <tr> <td>Simethicone 80 mg.....</td> <td>Anti-gas</td> </tr> </tbody> </table> <p>Uses: Relieves</p> <ul style="list-style-type: none"> Heartburn Sour stomach Acid indigestion Upset stomach associated to these symptoms Bloating, pressure or stuffed feeling commonly referred to as gas <p>Warnings</p> <p>Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p>Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.</p> <p>Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p>	Active ingredient (in each chewable tablet)	Purpose	Calcium carbonate 750 mg.....	Antacid	Simethicone 80 mg.....	Anti-gas
Active ingredient (in each chewable tablet)	Purpose							
Calcium carbonate 750 mg.....	Antacid							
Simethicone 80 mg.....	Anti-gas							
<p>Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST</p> <p>*This product is not manufactured or distributed by the owner of the registered trademark Tums®.</p> <p>†SuperChews® and Chewy not Chalky® are registered trademarks of BestCo, LLC.</p> <p>2D CODE FOR INTERNAL PART NUMBER ONLY</p>  <p>1 95515 01174 7</p> <p>Gluten-Free PN-60001928</p>	<p>Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.</p> <p>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.</p> <p>Distributed by: Amazon.com Services LLC 410 Terry Avenue N., Seattle, WA 98109</p> <p>Made in U.S.A. of U.S. and imported ingredients</p>							

7.875"

3.11"

Drug Facts (continued)

Other information

Each chewable tablet contains: calcium 300mg ■ Store between 20° to 25°C (68° to 77°F) in a dry place ■ Close cap tightly after use.

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2888 Monday - Friday, 9AM - 4PM EST

*This product is not manufactured or distributed by Bayer, owner of this registered trademark Alka-Seltzer® or any of its affiliates.

Flavor Chews® and Chewy not Chalky® are registered trademarks of BestCo Inc.

Compare to the active ingredient as Alka-Seltzer® Heartburn-Gas Relief Chews®

Extra Strength HEARTBURN & GAS CHEWS

750 mg CALCIUM CARBONATE/ANTACID
80 mg SIMETHICONE/ANTI-GAS

Chewy not Chalky®

Digestive Relief of:

- Heartburn
- Sour stomach
- Gas, pressure and bloating

82 Chews *Mixed Berry*

Drug Facts

Active ingredient (in each chewable tablet)	Purpose
Calcium carbonate 750mg	Antacid
Simethicone 80mg	Anti-gas

Uses: Relieves

Heartburn	Sour stomach	Acid indigestion	Upset stomach
-----------	--------------	------------------	---------------

associated to these symptoms ■ Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions Adults and children 12 years and older: chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years: consult a doctor.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DESIGN

CUSTOMER: TBD
DATE: 7-3-17
PROJECT #:
FILE NAME: TBD_75ct_HBG_MixedBerry.ai

SiGRAPHIC DESIGNER: Mark Scarboro Substrate: TBD
SOFTWARE: ILLUSTRATOR CS5

288 Mazeppa Road
Mooresville, NC 28115
704-664-4300

INKS

CMYK

WHITE

PMS XXX

PMS XXX

PMS XXX

PMS XXX

PMS XXX

■ Die Color

■ Dimensions

■ Annotations

BASIC CARE BERRY ANTACID HBG

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-235
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink (Mauve)	Score	no score
Shape	ROUND	Size	14mm
Flavor	BERRY	Imprint Code	DR
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-235-82	82 in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2021	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	08/05/2021	

Labeler - Amazon.com (128990418)

Registrant - Bestco LLC (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco LLC		002149136	manufacture(72288-235)

Revised: 10/2023

Amazon.com