

**EPHEDRINE SULFATE- ephedrine sulfate tablet, film coated**  
**CVS Pharmacy, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**5789-CVS**

**Drug Facts**

**Active ingredient (in each caplet)**

Ephedrine Sulfate 25 mg

**Purpose**

Bronchodilator

**Use**

☐ for temporary relief of mild symptoms of intermittent asthma: ☐ wheezing ☐ tightness of chest ☐ shortness of breath

**Asthma alert:** Because asthma may be life threatening, see a doctor if you

☐ are not better in 60 minutes

☐ get worse

☐ need more than 6 caplets in 24 hours

☐ use more than 4 caplets in 24 hours for 3 or more days a week

☐ have more than 2 asthma attacks in a week

These may be signs that your asthma is getting worse.

☐ This product will not give you asthma relief as quickly as an inhaled bronchodilator.

**Do not use**

☐ unless a doctor said you have asthma

☐ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs taken for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

☐ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

☐ ever been hospitalized for asthma

☐ heart disease

☐ high blood pressure

☐ diabetes

- thyroid disease
- seizures
- narrow angle glaucoma
- a psychiatric or emotional condition
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

- taking prescription drugs for asthma, obesity, weight control, depression, or psychiatric or emotional conditions
- taking any drug that contains phenylephrine, pseudoephedrine, ephedrine, or caffeine (such as for allergy, cough-cold, or pain)

**When using this product**

- your blood pressure or heart rate may go up. This could increase your risk of heart attack or stroke, which may cause death.
- your risk of heart attack or stroke increases if you:
  - have a history of high blood pressure or heart disease
  - take this product more frequently or take more than the recommended dose
  - avoid foods or beverages that contain caffeine
  - avoid dietary supplements containing ingredients reported or claimed to have a stimulant effect

**Stop use and ask a doctor if**

- your asthma is getting worse (see Asthma alert)
- you have difficulty sleeping
- you have a rapid heart beat
- you have tremors, nervousness, or seizure

**If pregnant or breast-feeding,** ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

**do not take more than directed**

---

adults and children 12 years of age and over	take 1 caplet every 4 hours as needed. Do not take more than 6 caplets in 24 hours or as directed by a doctor.
children under 12 years of age	do not use

---

**Other information**

- each caplet contains: calcium 20 mg

□ store in a dry place at 15° - 30°C (59° - 86°F)

dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polydextrose, silicon dioxide, sodium starch glycolate type A, talc, titanium dioxide.

**Questions or comments?**

Call 1-800-231-4670

\* This product is not manufactured or distributed by Foundation Consumer Healthcare, LLC., owner of the registered trademark Bronkaid®.

RETAIN OUTER CARTON FOR COMPLETE PRODUCT INFORMATION  
TAMPER EVIDENT: DO NOT USE IF CARTON HAS BEEN OPENED OR BLISTER UNITS ARE TORN OR BROKEN

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2022 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS

Product of India. Manufactured and packaged in the U.S.A. using domestic and imported ingredients.

Compare to the active ingredient in Bronkaid® Max\*

MAXIMUM STRENGTH\*\*

Asthma Relief

EPHEDRINE SULFATE CAPLETS, 25 mg Bronchodilator

\*\*STRONGEST 1 CAPLET DOSE AVAILABLE WITHOUT  
A PRESCRIPTION

Relieves mild, intermittent asthma  
symptoms & restores free breathing

60 Caplets

**CVS Health.**

**MAXIMUM STRENGTH™**

# Asthma Relief

**EPHEDRINE SULFATE CAPLETS, 25 mg Bronchodilator**

**STRONGEST 1 CAPLET DOSE AVAILABLE WITHOUT A PRESCRIPTION**

Relieves mild, intermittent asthma symptoms & restores free breathing

**60 CAPLETS**

Actual Size

Compare to the active ingredient in Bronkaid® Max\*

**Drug Facts (continued)**

Do not use if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

**Drug Facts**

**Active ingredient (in each caplet)**

Ephedrine sulfate 25 mg

**Purpose**

Bronchodilator

**Use**

For temporary relief of mild symptoms of intermittent asthma.

● wheezing ● tightness of chest ● shortness of breath

**Drug Facts (continued)**

Stop use and ask a doctor if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

**Drug Facts (continued)**

Ask a doctor before use if you have ever been hospitalized for asthma condition or if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

**Drug Facts (continued)**

Ask a doctor before use if you have ever been hospitalized for asthma condition or if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

**Drug Facts (continued)**

Ask a doctor before use if you have ever been hospitalized for asthma condition or if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

**Drug Facts (continued)**

Ask a doctor before use if you have ever been hospitalized for asthma condition or if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

**Drug Facts (continued)**

Ask a doctor before use if you have ever been hospitalized for asthma condition or if you have asthma or if you are now taking a prescription medicine called MAOI (monoamine oxidase inhibitor) for depression, Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know what the MAOI drug is, ask your doctor or pharmacist. If your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

**Warnings**

Asthma relief: Because asthma may be life threatening, see a doctor if you are not better in 24 hours. If you are not better in 48 hours, see a doctor if you use more than 4 caplets in 24 hours or 3 or more days a week.

24 hours. Use more than 4 caplets in 24 hours or 3 or more days a week.

EPHEDRINE SULFATE			
ephedrine sulfate tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-922
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
EPHEDRINE SULFATE (UNII: U6X61U5ZEG) (EPHEDRINE - UNII:GN83C131XS)		EPHEDRINE SULFATE	25 mg
Inactive Ingredients			
Ingredient Name			Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856j3G2A2)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)			

<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	57;89
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-922-07	5 in 1 CARTON	12/28/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/28/2022	

**Labeler** - CVS Pharmacy, Inc (062312574)

Revised: 2/2023

CVS Pharmacy, Inc