OMEPRAZOLE- omeprazole capsule, delayed release
Little Pharma, Inc.

Curist Heartburn Relief (Omeprazole)

Drug Facts

Active ingredient (in each capsule)

*Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium, USP)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs ***2 or more*** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert

Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away **(1-800-222-1222).**

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

  14-Day Course of Treatment
  - swallow 1 capsule with a glass of water before eating in the morning
  - take every day for 14 days
  - do not take more than 1 capsule a day
  - do not use for more than 14 days unless directed by your doctor
  - swallow whole. Do not chew or crush capsules.

  Repeated 14-Day Courses (if needed)
  - you may repeat a 14-day course every 4 months
  - **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use.
- keep the carton. It contains important information.
- Store at 20-25°C (68-77°F). [See USP controlled room temperature]. Protect from moisture

Inactive ingredients

FD&C blue #1, FD&C red #40, ferrosoferric oxide, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium stearate, methacrylic acid copolymer, mono and di glycerides, polyethylene glycol 6000, polysorbate 80, potassium hydroxide, propylene glycol, shellac, sodium stearyl fumarate, sugar spheres (starch and sucrose), talc, titanium dioxide and triethyl citrate

Questions?

Call toll-free Monday to Friday 8:30 am to 5 pm EST at **1800-406-7984**.

Distributed by:
Little Pharma, Inc.

New York, NY 10023

PRINCIPAL DISPLAY PANEL - 20 mg Capsule Carton

curist

Heartburn Relief

Omeprazole Delayed-release Capsules 20 mg*
Acid Reducer

24 HR; Treats FREQUENT Heartburn!

42 CAPSULES
Three 14-day courses of treatment
May take 1 to 4 days for full effect

mini capsules

curist

Heartburn Relief

Omeprazole Delayed-release Capsules 20 mg*
Acid Reducer

24 HR; Treats FREQUENT Heartburn!

42 CAPSULES
Three 14-day courses of treatment
May take 1 to 4 days for full effect

mini capsules

1220

Distributed by:
Little Pharma, Inc.
New York, NY 10023

TAMPER-EVIDENT FEATURES:
Do not use if foil seal under cap imprinted with 'sealed for your protection' or transparent band around center of capsule are missing, torn or broken.

3 72559 01006 0

Batch No.

Expiration Date:

NON VARNISH

5215120

Drug Facts (continued)

Other information
- read the directions and warnings before use.
- keep the carton. It contains important information.
- Store at 20-25°C (68-77°F). [See USP controlled room temperature]. Protect from moisture

Inactive ingredients FD&C blue #1, FD&C red #40, ferrosoferric oxide, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium stearate, methacrylic acid copolymer, mono and di glycerides, polyethylene glycol 6000, polysorbate 80, potassium hydroxide, propylene glycol, shellac, sodium stearyl fumarate, sugar spheres (starch and sucrose), talc, titanium dioxide and triethyl citrate

Questions?
Call toll-free Monday to Friday 8:30 am to 5 pm EST at **1800-406-7984**.

Tips for Managing Heartburn
■ Do not lie flat or bend over after eating ■ Do not wear tight-fitting clothing around the stomach ■ Do not eat before bedtime ■ Raise the head of your bed ■ Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables ■ Eat slowly and avoid big meals ■ If overweight, lose weight ■ Quit smoking

TRIPLE PACK - 3 X 14 COUNT BOTTLES INSIDE

Drug Facts

Active ingredient (in each capsule)	Purpose
*Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium, USP)	Acid reducer

Use
- treats frequent heartburn (occurs *2 or more* days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Drug Facts (continued)

Stop use and ask a doctor if:
- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away **(1-800-222-1222).**

Directions



OMEPRAZOLE

omeprazole capsule, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:72559-010
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20.6 mg

Inactive Ingredients	
Ingredient Name	**Strength**
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE (70000 WAMW) (UNII: 66O7AQV0RT)	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	

SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	

Product Characteristics

Color	pink	**Score**	no score
Shape	CAPSULE	**Size**	18mm
Flavor		**Imprint Code**	RG;49
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72559-010-06	3 in 1 CARTON	12/19/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210593	12/19/2020	

Labeler - Little Pharma, Inc. (074328189)

Revised: 7/2022 Little Pharma, Inc.